

# -40~105 Heat Shrink Tubing Composed Of Radiation Crosslinked Polyolefin Material

## **Basic Information**

- Place of Origin:
- Brand Name:
- Minimum Order Quantity: Negotiation
- Price: Negotiation
- Packaging Details:
- Delivery Time: 2 days after receiving full payment

20000pcs

China

Qiaoguang

Payment Terms: L/C, T/T, Western Union, Paypal, ALiPay

Carton, Negotiation

Supply Ability:



### **Product Specification**

- Customization:
- Packing:
- Highlight:

## Support Carton

crosslinked wire marking, typing system, polyolefin wire marking, typing system

Our Product Introduction

#### **Product Description**

Heat Shirung Sleeve

1. Material: This heat shrinkable tube is composed of radiation crosslinked polyolefin material.

2. Operating temperature: -40~105

3. Product features: excellent physical, chemical and electrical properties, the main functions are electrical insulation of connectors, anti-rust and anti-corrosion of solder joints, mechanical protection and wiring harness; thermal shrinkage rate is 2:1; low smoke, halogen-free, non-toxic, soft, flame retardant;

technical order:

function	metric	function	metric
tensile strength	≥10.4 MPa	heat shock resistance	No cracks, no drop
elongation at break	≥200 %	breakdown strength	≥15 kV/mm
Voltage resistance (rated voltage: 600V)	pass through	mass resistivity	≥10 <sup>14</sup> Ω.cm

#### Specifications:

specificatio ns	Contraction size	pack	specification s	Contraction size	pack
HS-1.5	0.9-1.2	400m	HS-18	10.8-14.4	100m
HS-2.0	1.2-1.6	400m	HS-20	12-16	100m
HS-2.5	1.5-2.0	400m	HS-22	13.2-17.6	50m
HS-3.0	1.8-2.4	400m	HS-25	15-20	50m
HS-3.5	2.1-2.8	400m	HS-30	18-24	50m
HS-4.0	2.4-3.2	400m	HS-35	19.2-25.6	50m
HS-5.0	3.0-4.0	200m	HS-40	32-24	50m
HS-6.0	3.6-4.8	200m	HS-45	23.5-38	25m
HS-7.0	4.2-5.6	100m	HS-50	30-40	25m
HS-8.0	4.8-6.4	100m	HS-60	36-48	25m
HS-10	6.0-8.0	100m	HS-70	42-56	25m
HS-12	7.2-9.6	100m	HS-80	48-64	25m
HS-13	8.0-10.5	100m	HS-90	52-75	25m
HS-14	8.4-11.2	100m	HS-100	60-80	25m
HS-15	9.0-11.8	100m	HS-120	72-96	25m
HS-16	9.6-12.8	100m	HS-150	80-105	25m

${}^{}_{} QG$ changzhou qiaoguang electrical appliance co.,Itd.				
<b>()</b> 18915890812	sales@cz-qg.com	e plasticpackagingnet.com		
223 Hehai West Road	d, Xinbei District, Changzhou	J City, Jiangsu Province, China		